

Beam Clamp – ZBC10


Formed Steel Beam Clamp

Standard finish is Electro-Galvanized (EG).

Maximum rod size: 1/2" (12 mm).

Maximum flange thickness: 3/4" (19 mm).

If swivel is required, use ZBC12 Swivel Nut.



CATALOG NUMBER	WEIGHT
	lbs.
ZBC100000EG	0.42

POSITION	DESIGN LOAD	
	lbs.	kN
A	500	2.22
B	300	1.33

Material Specifications and Finishes

Carbon Steel – ASTM A1011-00 SS GR 33 or ASTM A1011-00CS Type B

EG – Electro-Galvanized. Electroplating deposits zinc on the surface of the steel by electrolysis from a bath of zinc salts. Recommended for relatively dry indoor use. This is the standard coating for most ZI-Strut products. Thickness of applied zinc is between 0.2 mils and 0.5 mils (5.1 µm to 12.7 µm). Coatings on ZI-Strut EG products meet ASTM B633 SC1 Type III.

Note: Specifications subject to change without notice.

SUBMITTAL INFORMATION

PROJECT: _____ CONTRACTOR: _____ DATE: _____

ENGINEER: _____ SPECIFICATION REFERENCE: _____ SYSTEM TYPE: _____

LOCATIONS: _____ COMMENTS: _____

ZI-112823